

THX6 / THX8

OWNERS MANUAL



POWRT AUDIO

Immcraft LLC
Email: info@immcraft.com

WARRANTY

POWRT AUDIO warrants to the original retail purchaser that this product is to be free from defective materials and workmanship for a period of one (1) year from the date of purchase, if it is properly used and maintained. if this product proves defective in either material or workmanship, POWRT AUDIO, at its option, will (a) repair the product, or (b) replace the product, at no charge for parts or labor. if the product model is no longer available and cannot be repaired effectively or replaced with an identical model, POWRT AUDIO at its sole option may replace the unit with a current model of equal or greater value. in some cases, modification to the mounting surface may be required where a new model is substituted POWRT AUDIO assumes no responsibility or liability for such modification To obtain a repair or replacement under the terms of this warranty, please return to dealer first, if possible, and the dealer will direct you accordingly for repairs or replacement. You will be required to submit a copy of the original receipt.

Return shipping for exchanges/repairs is the sole responsibility of the original retail purchaser.

Limitations:


- This limited warranty does not cover failure of the product resulting from improper installation, misuse, abuse, accident, neglect, mishandling, or wear from ordinary use or environmental deterioration.
- This limited warranty does not cover cosmetic damage Including paint damage, or consequential damage to other components or premises which may result for any reason from the failure of the product.
- This limited warranty is null and void for products not used in accordance with POWRT AUDIO's instructions.
- This limited warranty is null and void for products with altered or missing serial numbers and for products not purchased from an authorized dealer.
- This limited warranty terminates if you sell or otherwise transfer this product to another party.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE JURISDICTION TO JURISDICTION OR COUNTRY TO COUNTRY.POWRT AUDIO'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE IS LIMITED TO REPLACEMENT OR REPAIR AS SET FORTH IN THIS WARRANTY STATEMENT ALL EXPRESS AND IMPLIED WARRANTIES FOR THE PRODUCT,INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.ARELIMITED IN TIME TO THE TERM OF THIS WARRANTY SOME STATES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES OR CONDITIONS OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU. POWRT AUDIO DOES NOT ACCEPTLIABILITY FOR SPECIAL,INDIRECT, CONSEQUENTIAL OR INCIDENTAL DAMAGES, INCLUDING WITHOUT LIMITATION, ANY LIABILITY FOR THIRD PARTY CLAIMS AGAINST YOU FOR DAMAGES OR FOR PRODUCTS NOT BEING AVAILABLE FOR USE THE MAXIMUM LIABILITY FOR WHICH POWRT AUDIO MAY BE RESPONSIBLE WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE PRODUCT THAT IS THE SUBJECT OF THE CLAIMSOME STATESJURISDICTIONS OR COUNTRIES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF SPECIAL,INDIRECT,INCIDENTAL OR CONSEQUENTIAL DAMAGES,SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

WARRANTY OUTSIDE THE U.S.
The Warranty on this product shall comply with applicable law when sold to a consumer outside of the United States, To obtain any appicable warranty service please contact the dealer from which you purchased this product, or the distributor that supplied this product.


THX6 PLACEMENT

POSITIONNEMENT UBICACI N PLATZIERUNG POZIĆ O COLLOCAZIONE 布置



THX8 PLACEMENT



POSITIONNEMENT UBICACI N PLATZIERUNG POZIĆ O COLLOCAZIONE 布置



CUT OUT



D COUPER SEPARAR AUSGESCHNITTEN RECORTAR RITAGLIARE 剪下

1




TEMPLATE
GABARIT PLANTILLA SCHABLONE MODELO DIMA FORNITA 模板

2




CONNECTIONS

BRANCHEMENTS CONEXIONES ANSCHL SSE CONNESSIONI CONEX ES 连接




THX6 INSTALLATION

INSTALLATION CONFIGURACI N INSTALLATION APPONTAMENTO INSTALAÇ O 设置




THX8 INSTALLATION

INSTALLATION CONFIGURACI N INSTALLATION APPONTAMENTO INSTALAÇ O 设置




PAINTING

PEINDRE PINTAR MALEN PINTAR VERNICE 油漆



CARE AND CLEANING

ENTRETIEN ET NETTOYAGE CUIDADO Y LIMPIEZA PFLEGE UND REINIGUNG CURA E PULIZIA CUIDADOS E LIMPEZA 保养与清洁



THX6 SPECIFICATIONS

Professional inset ceiling


Driver	1*5.75" Cerametallic Woofer + 1*1" Titanium dome compression driver mated to 65°Hx 50°V Horn,Asymmetric directional projection.
Frequency Response	60Hz~20KHz (+/- 3dB)
Power Handing(Cont/Peak)	100W/ 400W
Sensitivity	90dB/W/m 2 frquency division
Avg. Max Output @1m	114dB
Impedance	8 Ohms
Enclosure Type	POWRT patent bass enhancement technology,horn compression technology
Dimensions	Ø11"(280mm)*5.2"(132mm)H
Hole Dimensions	Ø9.9"(252mm)
Mounting Depth	5"(127mm)
Net weight	8.8 lbs. (4kg)
Finish	Aluminum panel+White paintable grill

THX8 SPECIFICATIONS

Professional inset wall speaker

Driver	1*8" Cerametallic Woofer + 1*1" Titanium dome compression driver mated to 110°Hx 90°V Tractrix Horn
Frequency Response	40Hz~20KHz (+/- 3dB)
Power Handing(Cont/Peak)	150W/ 600W
Sensitivity	91dB/W/m 2 frquency division
Avg. Max Output @1m	116dB
Impedance	8 Ohms
Enclosure Type	POWRT patent inverted box bass, horn compression technology
Dimensions	20.7" (526mm)H*11.4" (290mm)W*0.4" (103mm)D
Hole Dimensions	19.33" (491mm)H*10.04" (255mm)W
Mounting Depth	3.9" (98mm)
Net Weight	18.7 lbs. (8.5kg)
Finish	Aluminum panel+White paintable grill

THX6 DIMENSIONS



THX8 DIMENSIONS

